

Summer 2017

REVO SERIES

HIGH PERFORMANCE MARINE LOUDSPEAKERS




THE LOUDEST ON THE WATER.

Available in 6", 8" & 10" configs.
8 different Grill options.



SW-W White SW

SW-B Black SW



XW-W White XW

XW-B Black XW



XS-W-SS White Stainless Steel XS

XS-B-SS Black Stainless Steel XS



XS-S Silver XS

S-G-SS Gunmetal Stainless Steel XS



f Wet-Sounds

Instagram wetsounds

Twitter @wet_sounds

YouTube wet sounds

1-877-938-7757 **WETSOUNDS.COM**

877.938.7757
wetsounds.com

THE BEST IN MARINE AUDIO. Wet Sounds™ is a marine audio manufacturer based out of Texas. The company was founded by a group of audio industry veterans who wanted to deliver a new level of performance and style to the marine industry. Combining our expertise in audio and our passion for boating, Wet Sounds™, Inc. was launched, creating a newer, higher level of standards as the premier "High Performance Marine Audio" manufacturer.

Innovation is the key to our success. Using new technologies, materials and a unique engineering style, we have developed award-winning products. We have been recognized by the Consumer Electronics Association, and have been honored for multiple awards for innovation and engineering. Since 1989, these prestigious awards have given consumer technology manufacturers and developers an opportunity to have their newest products judged by a preeminent panel of independent industrial designers, engineers and members of the trade press.



this is
**WET
SOUNDS**

At Wet Sounds we constantly strive for innovation and use our experience to provide you with high performing marine audio. We are dedicated to the marine and outdoor industry to develop proprietary products and technologies that exclusive to Wet Sounds. Our products offer incredible performance and one-of-a-kind style...

**All backed by a group that knows
Marine Audio.**





REVO SERIES



REVO SERIES

PERFORMANCE MARINE LOUDSPEAKERS

- RGB LED Tweeter Glow Kit included - choose your own custom color options
- Industry's only santoprene rubber spider - impervious to water saturation and dry rot
- 1" Titanium Tweeter for crisp, clear high frequency details
- Wet Sounds exclusive Nylas - high stiffness composite frame
- Available in 6", 8" and 10" coaxial configurations
- 8 different Grill options



SW-W
White SW



SW-B
Black SW



XW-W
White XW



XW-B
Black XW

REVO SUBWOOFERS

AVAILABLE IN FREE AIR + HIGH POWER CONFIGURATIONS

- Powder Coated Cast Aluminum Frame. Gold plated speaker terminals, injection Molded Composite Cone, rubber spider & surround.
- In 8", 10", 12" in Free Air or High Power
- 8 different Grill options



REVO 8 SUBWOOFER

REVO 8 FA S4 8 inch Free Air Marine Subwoofer
DIAMETER: 8.89 inches with grill
MOUNTING DEPTH: 4.0 inches
IMPEDANCE: 4 Ohms
POWER (W): 200/400 (RMS/Peak)

SENSITIVITY: 88 dB at 1W/Meter
FREQ. RESPONSE: 20-500 Hz



REVO 10 SUBWOOFER

REVO 10 FA S2/S4 10 inch Free Air Marine Subwoofer
DIAMETER: 11.02 inches with grill
MOUNTING DEPTH: 4.72 inches
IMPEDANCE: Single 2 or 4 Ohms
POWER (W): 300/600 (RMS/Peak)

SENSITIVITY: 88 dB at 1W/Meter
FREQ. RESPONSE: 20-500 Hz

REVO 10 HP S4 10 inch **HIGH POWER** Marine Subwoofer
DIAMETER: 11.02 inches with grill
MOUNTING DEPTH: 4.72 inches
IMPEDANCE: 4 Ohms
POWER (W): 400/800 (RMS/Peak)

SENSITIVITY: 88 dB at 1W/Meter
FREQ. RESPONSE: 20-500 Hz

REVO 12 SUBWOOFER

REVO 12 FA S2/S4 12 inch Free Air Marine Subwoofer
DIAMETER: 12.6 inches with grill
MOUNTING DEPTH: 4.92 inches
IMPEDANCE: Single 2 or 4 Ohms
POWER (W): 500/1000 (RMS/Peak)

SENSITIVITY: 88 dB at 1W/Meter
FREQ. RESPONSE: 20-400 Hz

REVO 12 HP S4 12 inch **HIGH POWER** Marine subwoofer
DIAMETER: 12.6 inches with grill
MOUNTING DEPTH: 4.92 inches
IMPEDANCE: Single 2 or 4 Ohms
POWER (W): 500/1000 (RMS/Peak)

SENSITIVITY: 88 dB at 1W/Meter
FREQ. RESPONSE: 20-400 Hz

SS-10B 10" SUBWOOFER



IMPEDANCE: 4 Ohms
POWER (W): 250/500 (RMS/Peak)

SENSITIVITY: 88 dB at 1W/Meter
FREQ. RESPONSE: 20-500 Hz

SW-650 & SW-65ic 6.5" COAXIAL SPEAKER

SW-650
IMPEDANCE: 4 Ohms
POWER (W): 100/200 (RMS/Peak)
SENSITIVITY: 90 dB at 1W/Meter
FREQ. RESPONSE: 40 Hz - 20 kHz

SW-65i
IMPEDANCE: 4 Ohms
POWER (W): 60/120 (RMS/Peak)
SENSITIVITY: 89 dB at 1W/Meter
FREQ. RESPONSE: 40 Hz - 20 kHz





REMARKABLE VOLUME AND AMAZING

FULL RANGE SOUND QUALITY.



REV 10

10" HLCD* TOWER SPEAKERS

IMPEDANCE: 4 Ohms
POWER (W): 300/600 (RMS/Peak)
SENSITIVITY: 92 dB at 1W/Meter
FREQ. RESPONSE: 20 Hz - 20 kHz

REV 8

8" HLCD TOWER SPEAKERS

IMPEDANCE: 4 Ohms
SENSITIVITY: 92 dB at 1W/Meter
POWER (W): 200/400 (RMS/Peak)
FREQ. RESPONSE: 20 Hz - 20 kHz

MID BASS: 8" Kevlar reinforced EFG™ cone woofers with polyurethane surround.
HIGH FREQUENCY: Pro-Axial Driver - Coaxially mounted Titanium Diaphragm High Output Horn Loaded Compression Driver

REV 410

DUAL 10" HLCD TOWER SPEAKERS

IMPEDANCE: 4 Ohms
SENSITIVITY: 92 dB at 1W/Meter
POWER (W): 400/800 (RMS/Peak)
FREQ. RESPONSE: 20 Hz - 20 kHz

MID BASS: Dual 10 inch Kevlar reinforced EFG™ cone woofers with polyurethane surround
HIGH FREQUENCY: Separate Titanium Diaphragm High Output Horn Loaded Compression Driver



REV 6 x 9 SM GUNNEL SPEAKERS

REV SURFACE MOUNT

HLCD speaker enclosed in a roto-mold surface mountable housing. Will deliver amazing sound through out your boat, ATV, Golf Carts or most any application!




Available in black or white.

ICON 8

8" TOWER SPEAKERS

Dynamically rich sound in a small form factor.



IMPEDANCE: 4 Ohms
POWER (W): 150/300 (RMS/Peak)
SENSITIVITY: 92 dB at 1W/Meter
FREQ. RESPONSE: 20 Hz - 20 kHz

MID BASS: 8" Composite Cone with Polyurethane Surround
HIGH FREQUENCY: 1" Horn Loaded Titanium (HLT) Tweeter

TC-3 CLAMPS

AVAILABLE IN FIXED, SWIVEL AND X-MOUNT MODELS



CLAMPS PATENTS
Patent US 8,568,162
www.wetsounds.com/patents

*HLCD - Horn Loaded Compression Driver

SPEAKER SUITZ

PROTECT + STORE YOUR GEAR IN STYLE

Heavy duty Neoprene protective covering and convenient carrying handles.



SUITZ-410

SUITZ-8/10

SUITZ-8 compatible with REV-8/ PRO-60/ SWT-650/ SWT-65 / XST-650/XST-65
SUITZ-10 compatible with REV -10/ PRO-80/ MB-8
SUITZ-410 compatible with REV 410 and PRO 485

see all of our TOWER SPEAKERS at wetsounds.com >



SINISTER-SERIES

DSP COMING SOON

SUPERIOR PERFORMANCE CIRCUITRY

SINISTER AMPS use Wet Sounds exclusive Class D MAXED™ Power Supplies.

SD2

2-Channel Amp

400 W x 2 @ 4 Ohms RMS
620 W x 2 @ 2 Ohms RMS
1250 W x 1 @ 4 Ohms RMS

SD4

4-Channel Amp

185 W x 4 @ 4 Ohms RMS
340 W x 4 @ 2 Ohms RMS
685 W x 2 @ 4 Ohms RMS

SD6

6-Channel Amp

185 W x 6 @ 4 Ohms RMS
290 W x 6 @ 2 Ohms RMS
585 W x 3 @ 4 Ohms RMS

Wet Sounds

DSP TECH

- DSP stands for "Digital Signal Processing"
- Microprocessor Controlled Protection Circuit
- Computer control of your system (gains, crossovers, phase control) for optimal sound and output

AVAILABLE IN SYN-DX and DSP AMPS
Coming soon to SD SERIES!

SYNDICATE DX SERIES

DSP AVAILABLE

SYN-DX 2



SYN-DX 2 2-Channel Amp
200 W x 2 @ 4 Ohms RMS
375 W x 2 @ 2 Ohms RMS
750 W x 1 @ 4 Ohms RMS

SYN-DX 2.3 HP



SYN-DX 2.3 HP 2-Channel Amp
300 W x 2 @ 4 Ohms RMS
600 W x 2 @ 2 Ohms RMS
1200 W x 1 @ 4 Ohms RMS

SYN-DX 4



SYN-DX 4 4-Channel Amp
125 W x 4 @ 4 Ohms RMS
200 W x 4 @ 2 Ohms RMS
400 W x 2 @ 4 Ohms RMS

SYN-DX 6



SYN-DX 6 6-Channel Amp

Ch 1-4

125 W x 4 @ 4 Ohms RMS
200 W x 4 @ 2 Ohms RMS
400 W x 2 @ 4 Ohms RMS

Ch 5-6

150 W x 2 @ 4 Ohms RMS
300 W x 2 @ 2 Ohms RMS
600 W x 1 @ 4 Ohms RMS

HYDRO-TECH X SERIES

DSP AVAILABLE

HYDRO-TECH X SERIES AMPS are high powered multi-channel

HT-X SERIES

full range Class D Amps. The NEXT evolution of the HT Series.

HTX-1



HTX-1 Mono-Channel Amp
330 W x 1 @ 4 Ohms RMS
650 W x 1 @ 2 Ohms RMS

HTX-2



HTX-2 2-Channel Amp
150 W x 2 @ 4 Ohms RMS
300 W x 2 @ 2 Ohms RMS
600 W x 1 @ 4 Ohms RMS

HTX-4



HTX-4 4-Channel Amp
100 W x 4 @ 4 Ohms RMS
150 W x 4 @ 2 Ohms RMS
300 W x 2 @ 4 Ohms RMS

HTX-6



HTX-6 6-Channel Amp
100 W x 6 @ 4 Ohms RMS
150 W x 6 @ 2 Ohms RMS
300 W x 3 @ 4 Ohms RMS

ULTRA HD



SOUNDBAR PATENTS
 Patent US 9,469,254 B1
www.wetsounds.com/patents



STEALTH ULTRA HD

ALL-IN-ONE AMPLIFIED BLUETOOTH SOUND BAR WITH REMOTE

- All New RF Wireless Remote Control Included
- Built-In High Output Advanced DSP Amplifier with D-Bass Tech
- Built-In Bluetooth Controller with Aux Input
- Simple Plug & Play Installation
- Extruded Aluminum Chassis and Grill with Powder Coated Finish
- Complete Wiring Harness with L & Top Mount Brackets Included
- IP67 Rated - protection from total dust ingress & water immersion from 15 cm - 1m depth

STEALTH ULTRA HD 6

DIMENSIONS: 20.7"L x 3.7"H x 3.9"D
SENSITIVITY: 90 dB at 1W/Meter

POWER (W): 200/400 (RMS/Peak)
FREQ. RESPONSE: 40 Hz - 20 kHz

STEALTH ULTRA HD 10

DIMENSIONS: 33.7"L x 3.7"H x 3.9"D
SENSITIVITY: 90 dB at 1W/Meter

POWER (W): 300/600 (RMS/Peak)
FREQ. RESPONSE: 40 Hz - 20 kHz

SURGE

STEALTH SURGE AMPLIFIED SOUNDBAR

NON-BLUETOOTH CONTROLLER VERSION OF THE ULTRA HD

- Built-In High Output Advanced DSP Amplifier with D-Bass Tech
- Same Great Speakers and Amplifier as the ULTRA HD
- Ready to connect to an External Bluetooth Controller, Head Unit, or Additional ULTRA Sound Bar
- IP67 Rated - Aluminum Chassis & Grill with Powder Coated Finish
- Complete Wiring Harness with L & Top Mount Brackets Included



STEALTH SURGE 6

DIMENSIONS: 20.7"L x 3.7"H x 3.9"D
POWER (W): 200/400 (RMS/Peak)
SENSITIVITY: 90 dB at 1W/Meter
FREQ. RESPONSE: 40 Hz - 20 kHz

STEALTH SURGE 10

DIMENSIONS: 33.7"L x 3.7"H x 3.9"D
POWER (W): 200/400 (RMS/Peak)

SENSITIVITY: 90 dB at 1W/Meter
FREQ. RESPONSE: 40 Hz - 20 kHz



CORE

STEALTH CORE PASSIVE SOUNDBAR

NON-AMPLIFIED / NON-BLUETOOTH VERSION OF THE ULTRA HD

- Ready to Connect to Existing Audio Systems
- Same Great Speakers as the ULTRA HD
- IP67 Rated - Aluminum Chassis and Grill & Powder Coated Finish
- Complete Wiring Harness with L & Top Mount Brackets Included



STEALTH CORE 6

DIMENSIONS: 20.7"L x 3.7"H x 3.9"D
POWER (W): 75/100 (RMS/Peak)
SENSITIVITY: 90 dB at 1W/Meter
FREQ. RESPONSE: 40 Hz - 20 kHz

STEALTH CORE 10

DIMENSIONS: 33.7"L x 3.7"H x 3.9"D
POWER (W): 75/150 (RMS/Peak)
SENSITIVITY: 90 dB at 1W/Meter
FREQ. RESPONSE: 40 Hz - 20 kHz

STEALTH AS

SERIES SUBS

ACTIVE SUBWOOFER ENCLOSURES

- Lightweight Rotationally Molded Polyethylene Housing
- 250, 350 or 500 Watt High Efficiency Class D Amp
- Easy Plug & Play connection with STEALTH Soundbars, etc
- High Excursion subwoofer driver • Remote level control included
- Durable aluminum grill



STEALTH

AS-6

AS-8

AS-10

DIMENSIONS (W / H / D):
 8.75" / 8.5" / 9.25"
POWER (W):
 250 W
FREQ. RESPONSE:
 20 Hz - 250 kHz
BATT. VOLT RANGE:
 10.5 - 16 VDC

STEALTH AS-6
 8.75" / 8.5" / 9.25"
 250 W
 20 Hz - 250 kHz
 10.5 - 16 VDC

STEALTH AS-8
 9.5" / 10" / 10.75"
 350 W
 20 Hz - 250 kHz
 10.5 - 16 VDC

STEALTH AS-10
 14.75" / 12.75" / 11.5"
 500 W
 20 Hz - 250 kHz
 10.5 - 16 VDC

STEALTH STX

MICRO AMPS

STEALTH STX MICRO AMPS



STX MICRO-1

Mono Block Class D Subwoofer Amp.
Dimensions: 9.25" L x 4" W x 1.5" H
 250W x 1 @ 4 Ohms RMS
 420W x 1 @ 2 Ohms RMS
 600W x 1 @ 1 Ohm RMS

STX MICRO-4

4 Channel Full Range Class D Amp.
Dimensions: 9.25" L x 4" W x 1.5" H
 80W x 4 @ 4 Ohms RMS
 130W x 4 @ 2 Ohms RMS
 280W x 2 @ 4 Ohms RMS



STATE-OF-THE-ART EQUALIZERS DESIGNED TO PROVIDE

WS-420 BT



THE WS-420 BT IS A STATE-OF-THE-ART ZONE CONTROLLER DESIGNED TO PROVIDE MAXIMUM FLEXIBILITY AND CONTROL OF YOUR MARINE AUDIO SYSTEM!

- Integrated Bluetooth Connectivity & Equalizer
- Talk Back Mic for PA communications over the tower speakers
- Wet Sounds Exclusive Boat Link links other systems for party mode
- Same High Performance Operational Amplifiers typically used in professional recording studio electronics

WS-420 BT

DIMENSIONS:	7"L x 1.625"H x 5"D		
BASS EQ FREQ:	100 Hz	MID BASS EQ FREQ:	300 Hz
MID EQ FREQ:	2 kHz	HI EQ FREQ:	15 kHz

WS-420 SQ



4 BAND PARAMETRIC EQUALIZER WITH 3 ZONE OPERATION

- 2 separate equalizers allow for independent volume control of volume of tower speakers, in boat speakers and subwoofers
- Talk Back Mic for PA communications over the tower speakers
- Wet Sounds Exclusive Boat Link links other systems for party mode
- High Performance Japanese Operational Amplifiers typically used in recording studios electronics

WS-420 SQ

DIMENSIONS:	7"L x 1.625"H x 5"D		
BASS EQ FREQ:	100 Hz	MID BASS EQ FREQ:	300 Hz
MID EQ FREQ:	2 kHz	HI EQ FREQ:	15 kHz

AMAZING CONTROL + FLEXIBILITY FOR YOUR MARINE AUDIO SYSTEM

WS-220 BT



MARINE AUDIO MULTI ZONE CONTROLLER WITH INTEGRATED BLUETOOTH

- Non-equalizer version of the WS-420 BT
- 4 Zone Level Control with Master Volume
- Separate Zones can be assigned to Tower, Cabin, In-boat, & Subwoofer Amplifiers
- Microphone included for broadcast over Wet Sounds tower speakers
- Built-in Bluetooth for easy connectivity of your BT capable device
- Auxiliary input for a wide variety of wired devices

WS-220 BT DIMENSIONS: 6 7/8" W x 1" H x 5" D



OUR BLUETOOTH MODULES - THE EASIEST WAY TO ADD WIRELESS CONTROL TO YOUR SYSTEM!

WW-BT UR

BLUETOOTH
UNIVERSAL REMOTE



WW-BT VC

BLUETOOTH VOLUME
CONTROL



WW-BT RS

BLUETOOTH ROCKER
SWITCH



Control the volume as well as track playback! Both are sealed for both Marine and PowerSport use. The easiest and most cost-effective way to add Bluetooth to any audio system!

WS-A LINK S/R KIT 2.4 GHZ SEND / RECEIVE KIT



skaa
compatible

Wirelessly broadcast audio- without Bluetooth or Wifi - to multiple audio systems on any vehicle with AUX input. Each A LINK module can SEND or RECEIVE. When linking multiple units together you will be able to create the ultimate party atmosphere anywhere your boat, ATV, golf cart or any other vehicle can go!



WS-MC1 2 PIECE MARINE MEDIA CENTER SYSTEM

Includes the MC-BB (Black Box) & MC-MD (Main Display)

- Marine Grade AM/FM/Weather Band RDS Radio digital tuner
- Auxiliary Input, USB Input, Bluetooth Streaming Input, Pandora
- Bluetooth, A2DP Only, AVRCP 1.4
- Simple & Secure Pairing Bluetooth Profile for Android & IOS
- 5" Ultra Bright TFT Display/Controller
- Displays Album Art from Connected Devices
- Playlist & folder Browsing via BT or USB Connection
- 4 Zone Output with 4V signal output
- Internal Power Amplifier 4x50W 2 Ohm Stable
- Adjustable input gain levels
- Day/Night Illumination
- Water-resistant rotary control for IPX6 Intrusion protection (MC-MD)
- Conformal Coated PC Board for IPX5 Intrusion Protection (MC-BB)
- Accepts the optional MC-TR Transom Remote
- Fully Upgradeable Software & Firmware via USB Port
- Controls 4-Zone RGB lighting with optional WS-4Z-RGB-BB

TOWER ADAPTERS

ALL WET SOUNDS ADAPTERS HAVE LARGE WIRING OPENINGS FOR MULTIPLE WIRING FOR LED TOWER LIGHTING.

- Direct mount compatible with REV8X, REV10X, ICON8X
- Full Swivel quick release compatible with REV8SC, REV10SC, ICON8SC (using TC-S3 removable base plate)
- Visit wetsounds.com for more information

ADP MALIBU G3 SINGLE



ADP MALIBU G3 DUAL



CENTURION GLADIATOR



NAUTIQUE-FC5-L



NAUTIQUE-FC5-U



MASTERCRAFT MC-11



RGB CONTROLLERS FROM WET SOUNDS

Take FULL color RGB LED control with these compatible RGB REMOTES from Wet Sounds!



RGB AMPLIFIER
RGB CONTROLLER REQUIRED



WS RF-RGB-MC V2
RF CONTROLLER W/ MUSIC
ACTIVATED LIGHTING



WS-4Z RGB CONTROLLER
WET SOUNDS / SHADOW CASTER
MULTI-ZONE RGB LIGHT CONTROLLER

WET WIRE ACCESSORIES

MARINE RATED WIRES + INTERCONNECTS



MARINE SPEAKER & SUBWOOFER LED RINGS

WET SOUNDS OFFERS A COMPLETE LINE OF LED ACCENT LIGHTING.

Be seen and heard.

